

Pre-Empt™ Liquid Ant Bait

For Pest Management Professionals and Commercial Use Only.

SHAKE WELL BEFORE USING

ACTIVE INGREDIENTS:

Imidacloprid.....0.005%

OTHER INGREDIENTS:..... 99.995%
100.000%

Contains 0.046 pounds Imidacloprid per gallon.

EPA Reg. No. 3125-572 Four 1 Gallon Bottles Per Case

**STOP - Read the label before use.
Keep out of reach of children.**

CAUTION

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation.. Avoid contact with eyes or clothing. Washing thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco will reduce exposure.

FIRST AID

If in eyes

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

Note To Physician: No specific antidote is available. Treat the patient symptomatically. Have the product container or label with you when calling a poison control center or doctor or going for treatment. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates.

Do not contaminate water when disposing of equipment washwaters or rinsate.

Pre-Empt™ Liquid Ant Bait

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PRO FACTS | |
| Kills sugar-feeding ants Begins killing ants within 24 hours Ready-to-use liquid bait For use indoors and outdoors Delayed ant mortality allows bait transfer throughout the colony. | |
| PRE-EMPT LIQUID ANT BAIT | <ul style="list-style-type: none"> Ready-to-use bait containing 0.005% imidacloprid |
| CONTROLS | <ul style="list-style-type: none"> Sugar-feeding ants including Argentine, carpenter, crazy, ghost, odorous house, pavement ants and Pharaoh ants |
| WHERE TO APPLY | <ul style="list-style-type: none"> For use in and around buildings and structures. |
| HOW TO APPLY | <ul style="list-style-type: none"> Apply in ant bait stations or bait trays. |
| USE RATE | <ul style="list-style-type: none"> Place bait as needed. |
| RE-APPLY | <ul style="list-style-type: none"> Refill bait stations as needed. |
| QUESTIONS | <ul style="list-style-type: none"> For questions or comments, call toll-free 1-800 842-8020 or visit us online at http://www.BayerProcentral.com |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DIRECTIONS FOR USE | |
| It is a violation of Federal law to use this product in a manner inconsistent with its labeling. IMPORTANT: Read entire label and Conditions of Sale before using this product. | |
| ANT MANAGEMENT | |
| WHERE TO APPLY | <ul style="list-style-type: none"> For use in and around buildings and structures including but not limited to houses, apartments, schools, factories, stores, warehouses, hospitals, nursing homes, food processing facilities, restaurants, hotels, motels and zoos. Place bait along ant trails and near ant nests. Place bait in areas not easily accessible to children or pets. |
| USE RATE | Place ready-to-use bait as needed. |
| HOW TO APPLY | <p><u>Indoors:</u> Place bait stations or bait trays near baseboards/walls, electrical lines, potted plants, water pipes, waste receptacles, sensitive electronic equipment, inside drop ceilings, under sinks and cabinets, stoves, refrigerators or anywhere ants are seen or found.</p> <p>May be applied in non-food/non-feed handling areas of food/feed handling establishments including garbage rooms, laboratories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas.</p> <p><u>Outdoors:</u> Place bait stations about every 10 to 20 feet around the structure, depending on severity of infestation.</p> <p>Additional stations may be placed along fencelines, in landscape beds, in or around trees and other areas where ants have been seen or found.</p> <p>Pay particular attention to areas where ants may enter structures (around windows and doorways, plumbing and electrical lines) and along sidewalks.</p> |
| Management Tips | Use Pre-Empt Liquid Ant Bait alone or as part of an overall Integrated Pest Management Program. For Best Results: Avoid bait contamination. Spraying bait stations with pesticides or fertilizers may repel ants from the stations and reduce efficacy. |

| |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONDITIONS OF SALE. Read Before Using.</p> <ul style="list-style-type: none"> • THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. • THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. • INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. • IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. BAYER OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| | |
|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>STORAGE AND DISPOSAL</p> | |
| <p>Do not contaminate water, food, or feed by storage or disposal.</p> | |
| <p>Pesticide Storage:</p> | <ul style="list-style-type: none"> • Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed. • Store in original containers and out of the reach of children, preferably in a locked storage area. • Handle and open container in a manner as to prevent spillage. |
| <p>Pesticide Disposal:</p> | <p>Pesticide wastes are hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.</p> |
| <p>Container Disposal:</p> | <ul style="list-style-type: none"> • Do not use container in connection with food, feed, or drinking water. • Completely empty container into application equipment. Triple rinse (or equivalent). • Dispose of container by offering for recycling or reconditioning. Or puncture and dispose of container in a sanitary landfill, or incinerator if burning is allowed by state and local authorities. If burned, stay out of smoke. |
| <p>Spills:</p> | <ul style="list-style-type: none"> • If the container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. • Do not walk through spilled material. • Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides above. • In spill or leak incidents, keep unauthorized people away. • You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244 or contact Chemtrec at 800-424-9300. |

B- 9533 11/9/01

Bayer Corporation
Professional Care
Box 4913
Kansas City, MO 64120-0013
(800) 842-8020
<http://bayerprocentral.com>
PE 0203 GPC Printed in U.S.A.

IMPORTANT

Before using this product, read and carefully observe the directions, cautionary statements and other information appearing on the product packaging label. This product is sold subject to the Conditions of Sale set forth on the container label.

